EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	4492	(@ad<="20021106" or @pd<="20021106" or @rlan<="20021106" or @rlad<="20021106" or @rlpn<="20021106") and ((ping or request) near5 (second or twice or another)) and "370".clas.	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	ADJ	OFF	2007/11/27 10:31
L2	51	(@ad<="20021106" or @pd<="20021106" or @rlan<="20021106" or @rlad<="20021106" or @rlpn<="20021106") and ((ping or request) near5 (second or twice or another)) same (alarm or alert$4) and "370".clas.	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	ADJ	OFF	2007/11/27 10:31
L3	52	(@ad<="20021106" or @pd<="20021106" or @rlan<="20021106" or @rlad<="20021106" or @rlpn<="20021106") and ((ping or request) near5 (second or twice or another)) same (alarm$4 or alert$4) and "370".clas.	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	ADJ	OFF	2007/11/27 10:44
L4	31	(@ad<="20021106" or @pd<="20021106" or @rlan<="20021106" or @rlad<="20021106" or @rlpn<="20021106") and ((ping or request) near2 (two or "2")) same (alarm$4 or alert$4) and "370".clas.	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	ADJ	OFF	2007/11/27 10:47
L5	40	(@ad<="20021106" or @pd<="20021106" or @rlan<="20021106" or @rlad<="20021106" or @rlpn<="20021106") and ((two or "2") adj2 (ping$2 or request$2 or poll$5)) same (alarm$4 or alert$4) and "370".clas.	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	ADJ	OFF	2007/11/27 10:52
L6	22	(@ad<="20021106" or @pd<="20021106" or @rlan<="20021106" or @rlad<="20021106" or @rlpn<="20021106") and (ping with (alarm$5 or alert$5)) and "370".clas.	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	ADJ	OFF	2007/11/27 14:27

L7	358	(@ad<="20021106" or @pd<="20021106" or @rlan<="20021106" or @rlad<="20021106" or @rlpn<="20021106") and (ping$4 with (respon$5 or reply$5)) and "370".clas.	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	ADJ	OFF	2007/11/27 10:58
L8	37	(@ad<="20021106" or @pd<="20021106" or @rlan<="20021106" or @rlad<="20021106" or @rlpn<="20021106") and (ping$4 with ((no or "not") near3 (respon$5 or reply$5))) and "370".clas.	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	ADJ	OFF	2007/11/27 10:58
L9	4	"US 7020707"	US-PGPUB; USPAT; USOCR; DERWENT	OR	OFF	2007/11/27 11:23
L10	1	("20020184376").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2007/11/27 11:24
L11	17	(@ad<="20021106" or @pd<="20021106" or @rlan<="20021106" or @rlad<="20021106" or @rlpn<="20021106") and ((no or "not") near2 (reply$5 or respon$5) with (time or interval or period)) same agent and "370".clas.	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	ADJ	OFF	2007/11/27 13:01
L12	16	(@ad<="20021106" or @pd<="20021106" or @rlan<="20021106" or @rlad<="20021106" or @rlpn<="20021106") and ((no or "not") near2 (reply$5 or respon$5) with (time or interval or period)) same (another or second) near2 (ping$2 or request$2 or poll$4) and "370".clas.	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	ADJ	OFF	2007/11/27 13:02
L19	87	(@ad<="20021106" or @pd<="20021106" or @rlan<="20021106" or @rlad<="20021106" or @rlpn<="20021106") and (ping with loss)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	ADJ	OFF	2007/11/27 13:16

L21	19	(US-20030177222-$ or US-20040062203-$ or US-20040066747-$ or US-20030007465-$ or US-20030137986-$ or US-20070253430-$ or US-20070055763-$ or US-20070043826-$ or US-20060146863-$ or US-20050147116-$ or US-20030169761-$ or US-20010048660-$ or US-20050157707-$ or US-20020184376-$ or US-20050160335-$).did. or (US-6148404-$ or US-7143152-$ or US-4654640-$ or US-5406260-$).did.	US-PGPUB; USPAT	OR	OFF	2007/11/27 13:31
L22	1	l21 and (series with ping)	US-PGPUB; USPAT	OR	OFF	2007/11/27 17:14
L23	3525	(@ad<="20021106" or @pd<="20021106" or @rlan<="20021106" or @rlad<="20021106" or @rlpn<="20021106") and (administrator or operator with authoriz$5 with (disconnect$5 or removal$5)) and "370".clas.	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	ADJ	OFF	2007/11/27 13:54
L24	0	(@ad<="20021106" or @pd<="20021106" or @rlan<="20021106" or @rlad<="20021106" or @rlpn<="20021106") and ((administrator or operator) with authoriz$5 with (disconnect$5 or removal$5)) and "370".clas.	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	ADJ	OFF	2007/11/27 13:56
L25	37	(@ad<="20021106" or @pd<="20021106" or @rlan<="20021106" or @rlad<="20021106" or @rlpn<="20021106") and ((administrator or operator) with authoriz$5 with (disconnect$5 or removal$5))	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	ADJ	OFF	2007/11/27 13:56
L26	41	(@ad<="20021106" or @pd<="20021106" or @rlan<="20021106" or @rlad<="20021106" or @rlpn<="20021106") and (request$5 with agent with authoriz$5) and "370".clas.	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	ADJ	OFF	2007/11/27 14:32

L27	166	(@ad<="20021106" or @pd<="20021106" or @rlan<="20021106" or @rlad<="20021106" or @rlpn<="20021106") and (request$5 with agent with authoriz$5) same (respon$5 or reply$5)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	ADJ	OFF	2007/11/27 14:32
L28	0	(@ad<="20021106" or @pd<="20021106" or @rlan<="20021106" or @rlad<="20021106" or @rlpn<="20021106") and (query$3 or poll$5 or request$5) with (agent or manage$5) 370/449.ccls.	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	ADJ	OFF	2007/11/27 15:33
L29	87	(@ad<="20021106" or @pd<="20021106" or @rlan<="20021106" or @rlad<="20021106" or @rlpn<="20021106") and (query$3 or poll$5 or request$5) with (agent or manage$5) and 370/449.ccls.	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	ADJ	OFF	2007/11/27 15:53
L30	8708	(@ad<="20021106" or @pd<="20021106" or @rlan<="20021106" or @rlad<="20021106" or @rlpn<="20021106") and (allow$5 or authoriz$5) near3 (disconnect$5)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	ADJ	OFF	2007/11/27 15:56
L31	3	(@ad<="20021106" or @pd<="20021106" or @rlan<="20021106" or @rlad<="20021106" or @rlpn<="20021106") and (allow$5 or authoriz$5) near3 (disconnect$5) with agent and ("714" or "455" or "370" or "709").clas.	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	ADJ	OFF	2007/11/27 16:05
L32	1337	(@ad<="20021106" or @pd<="20021106" or @rlan<="20021106" or @rlad<="20021106" or @rlpn<="20021106") and ((no or "not") near4 (respon$5 or reply$5) with (agent or monitor or manager))	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	ADJ	OFF	2007/11/27 16:06

L33	425	(@ad<="20021106" or @pd<="20021106" or @rlan<="20021106" or @rlad<="20021106" or @rlpn<="20021106") and ((no or "not") near4 (respon$5 or reply$5) with (agent or monitor or manager)) and ("370" or "455" or "709" or "714").clas.	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	ADJ	OFF	2007/11/27 16:11
L34	4	(@ad<="20021106" or @pd<="20021106" or @rlan<="20021106" or @rlad<="20021106" or @rlpn<="20021106") and (query with (allow$5 near3 (disconnec$5 or releas$5 or terminat$5))) and ("370" or "455" or "709" or "714").clas.	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	ADJ	OFF	2007/11/27 16:39
L35	439	(@ad<="20021106" or @pd<="20021106" or @rlan<="20021106" or @rlad<="20021106" or @rlpn<="20021106") and (query$4 or request$5) with (allow$5 near3 (disconnec$5 or releas$5 or terminat$5))	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	ADJ	OFF	2007/11/27 16:40
L36	505	(@ad<="20021106" or @pd<="20021106" or @rlan<="20021106" or @rlad<="20021106" or @rlpn<="20021106") and (query$4 or request$5) with ((allow$5 or permitt$5) near3 (disconnec$5 or releas$5 or terminat$5))	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	ADJ	OFF	2007/11/27 16:41
L37	257	(@ad<="20021106" or @pd<="20021106" or @rlan<="20021106" or @rlad<="20021106" or @rlpn<="20021106") and (query$4 or request$5) with ((allow$5 or permitt$5) near3 (disconnec$5 or terminat$5))	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	ADJ	OFF	2007/11/27 16:45
L38	75	(@ad<="20021106" or @pd<="20021106" or @rlan<="20021106" or @rlad<="20021106" or @rlpn<="20021106") and (query$4 or request$5) with ((allow$5 or permitt$5) near3 (disconnec$5 or terminat$5)) same (time or period or interval)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	ADJ	OFF	2007/11/27 16:53

EAST Search History

L39	1	("6070190").PN.	USPAT; USOCR	OR	OFF	2007/11/27 17:17
L40	5	(("6449739") or ("6249882") or ("6812634") or ("5838919") or ("6681231")).PN.	USPAT; USOCR	OR	OFF	2007/11/27 17:18
S1	1	("6148404").PN.	USPAT; USOCR	OR	OFF	2007/11/23 12:47
S2	622	370/242.ccls. and (@ad<="20021106" or @pd<="20021106" or @rlan<="20021106" or @rlad<="20021106" or @rlpn<="20021106")	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2007/11/23 12:49
S3	2504	370/252.ccls. and (@ad<="20021106" or @pd<="20021106" or @rlan<="20021106" or @rlad<="20021106" or @rlpn<="20021106")	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2007/11/23 12:49
S5	677	370/241.ccls. and (@ad<="20021106" or @pd<="20021106" or @rlan<="20021106" or @rlad<="20021106" or @rlpn<="20021106")	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2007/11/23 12:57
S6	15346	(@ad<="20021106" or @pd<="20021106" or @rlan<="20021106" or @rlad<="20021106" or @rlpn<="20021106") and (alarm with response)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2007/11/23 12:58
S7	1054	(@ad<="20021106" or @pd<="20021106" or @rlan<="20021106" or @rlad<="20021106" or @rlpn<="20021106") and (alarm with response) same (network)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2007/11/23 12:58
S8	10	(@ad<="20021106" or @pd<="20021106" or @rlan<="20021106" or @rlad<="20021106" or @rlpn<="20021106") and (alarm with "no" near2 response) same (network)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2007/11/23 12:58
S9	261	(@ad<="20021106" or @pd<="20021106" or @rlan<="20021106" or @rlad<="20021106" or @rlpn<="20021106") and (theft) and "370".clas.	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2007/11/23 13:04

EAST Search History

S10	114	(@ad<="20021106" or @pd<="20021106" or @rlan<="20021106" or @rlad<="20021106" or @rlpn<="20021106") and (theft). ab. and ("370" or "455").clas.	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2007/11/23 13:28
S11	9	(@ad<="20021106" or @pd<="20021106" or @rlan<="20021106" or @rlad<="20021106" or @rlpn<="20021106") and (theft). ab. and ("370").clas.	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2007/11/23 13:08
S12	37	("3643250" | "3932857" | "4000488" | "4390868" | "4551832").PN. OR ("4654640"). URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2007/11/23 13:14
S14	669	(@ad<="20021106" or @pd<="20021106" or @rlan<="20021106" or @rlad<="20021106" or @rlpn<="20021106") and (detect$4 with (absence or disconnect$5 or remov$5 or theft) with network) and "370".clas.	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2007/11/23 13:30
S15	180	(@ad<="20021106" or @pd<="20021106" or @rlan<="20021106" or @rlad<="20021106" or @rlpn<="20021106") and (detect$4 with (absence or disconnect$5 or remov$5 or theft) with network) same (response) and "370".clas.	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2007/11/23 13:32
S16	0	(@ad<="20021106" or @pd<="20021106" or @rlan<="20021106" or @rlad<="20021106" or @rlpn<="20021106") and (detect$4 with (absence or disconnect$5 or remov$5 or theft) with network) same (response) same ping	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2007/11/26 15:21
S17	12	(@ad<="20021106" or @pd<="20021106" or @rlan<="20021106" or @rlad<="20021106" or @rlpn<="20021106") and (detect$4 with (absence or disconnect$5 or remov$5 or theft) with network) same (response) and ping	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2007/11/23 13:33

S18	42	(@ad<="20021106" or @pd<="20021106" or @rlan<="20021106" or @rlad<="20021106" or @rlpn<="20021106") and (detect$4 with theft) and "370".clas.	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2007/11/23 13:54
S19	1	("5,406,260").PN.	USPAT; USOCR	OR	OFF	2007/11/23 13:39
S20	46	(@ad<="20021106" or @pd<="20021106" or @rlan<="20021106" or @rlad<="20021106" or @rlpn<="20021106") and (no near2 response with query) and "370".clas.	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2007/11/23 13:54
S21	51	(@ad<="20021106" or @pd<="20021106" or @rlan<="20021106" or @rlad<="20021106" or @rlpn<="20021106") and (no near2 response with quer$3) and "370".clas.	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2007/11/23 14:01
S22	74	(@ad<="20021106" or @pd<="20021106" or @rlan<="20021106" or @rlad<="20021106" or @rlpn<="20021106") and (ping with no near2 response)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2007/11/23 14:01
S23	0	(@ad<="20021106" or @pd<="20021106" or @rlan<="20021106" or @rlad<="20021106" or @rlpn<="20021106") and (ping with no near2 response) and theft	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2007/11/23 14:01
S24	15	(@ad<="20021106" or @pd<="20021106" or @rlan<="20021106" or @rlad<="20021106" or @rlpn<="20021106") and (ping with no near2 response) and absence	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2007/11/23 14:06
S25	245	(@ad<="20021106" or @pd<="20021106" or @rlan<="20021106" or @rlad<="20021106" or @rlpn<="20021106") and ((ping or quer$2) with respon$5) with (absence or theft of diconnect$5 or remov$5)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2007/11/23 14:46

S26	29	(@ad<="20021106" or @pd<="20021106" or @rlan<="20021106" or @rlad<="20021106" or @rlpn<="20021106") and ((ping) with respon$5) with (absence or theft of diconnect$5 or remov$5)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2007/11/23 15:52
S27	59	(@ad<="20021106" or @pd<="20021106" or @rlan<="20021106" or @rlad<="20021106" or @rlpn<="20021106") and (ping with windows)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2007/11/23 16:19
S28	246	(@ad<="20021106" or @pd<="20021106" or @rlan<="20021106" or @rlad<="20021106" or @rlpn<="20021106") and (ping command)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	ADJ	OFF	2007/11/23 16:30
S29	6	(@ad<="20021106" or @pd<="20021106" or @rlan<="20021106" or @rlad<="20021106" or @rlpn<="20021106") and (ping command with windows)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	ADJ	OFF	2007/11/23 16:30
S30	1	("7143152").PN.	USPAT; USOCR	OR	OFF	2007/11/26 15:11
S31	23	("5805166" | "5864666" | "5910803" | "5926463" | "5959985" | "6009475" | "6031528" | "6040834" | "6163544" | "6286047" | "6297823" | "6396810" | "6400689" | "6487604" | "6512824" | "6532241" | "6549940" | "6570867" | "6654803" | "6694362" | "6714217" | "6763380" | "6771287").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2007/11/26 15:12
S32	138	(@ad<="20021106" or @pd<="20021106" or @rlan<="20021106" or @rlad<="20021106" or @rlpn<="20021106") and (ping same loss same (time or interval or period))	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	ADJ	OFF	2007/11/26 15:22
S33	3	(@ad<="20021106" or @pd<="20021106" or @rlan<="20021106" or @rlad<="20021106" or @rlpn<="20021106") and (ping same loss same (time or interval or period)) same windows	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	ADJ	OFF	2007/11/26 15:58

S34	3879	(@ad<="20021106" or @pd<="20021106" or @rlan<="20021106" or @rlad<="20021106" or @rlpn<="20021106") and (polling) and "370".clas.	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	ADJ	OFF	2007/11/26 15:59
S35	0	(@ad<="20021106" or @pd<="20021106" or @rlan<="20021106" or @rlad<="20021106" or @rlpn<="20021106") and (polling) and "370/449".clas.	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	ADJ	OFF	2007/11/26 15:59
S36	323	(@ad<="20021106" or @pd<="20021106" or @rlan<="20021106" or @rlad<="20021106" or @rlpn<="20021106") and (polling) and "370/449".ccls.	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	ADJ	OFF	2007/11/26 16:00
S37	313	(@ad<="20021106" or @pd<="20021106" or @rlan<="20021106" or @rlad<="20021106" or @rlpn<="20021106") and ((respon$5 or reply$4) same (time or period or interval)) and "370/449".ccls.	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	ADJ	OFF	2007/11/26 16:01
S38	68	(@ad<="20021106" or @pd<="20021106" or @rlan<="20021106" or @rlad<="20021106" or @rlpn<="20021106") and ((respon$5 or reply$4) same (time or period or interval) same status) and "370/449".ccls.	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	ADJ	OFF	2007/11/26 16:04
S39	37	(@ad<="20021106" or @pd<="20021106" or @rlan<="20021106" or @rlad<="20021106" or @rlpn<="20021106") and ((respon$5 or reply$4) same ((time or period or interval) with status)) and "370/449".ccls.	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	ADJ	OFF	2007/11/26 16:12
S40	87	(@ad<="20021106" or @pd<="20021106" or @rlan<="20021106" or @rlad<="20021106" or @rlpn<="20021106") and ((respon$5 or reply$4) same ((time or period or interval) same first same second)) and "370/449".ccls.	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	ADJ	OFF	2007/11/26 16:13

EAST Search History

S41	0	(@ad<="20021106" or @pd<="20021106" or @rlan<="20021106" or @rlad<="20021106" or @rlpn<="20021106") and ((respon$5 or reply$4) same ((time or period or interval) same first request same second request)) and "370/449".ccls.	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	ADJ	OFF	2007/11/26 16:13
S42	152	(@ad<="20021106" or @pd<="20021106" or @rlan<="20021106" or @rlad<="20021106" or @rlpn<="20021106") and ((respon$5 or reply$4) same ((time or period or interval) same request$2)) and "370/449".ccls.	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	ADJ	OFF	2007/11/26 16:16
S43	87	(@ad<="20021106" or @pd<="20021106" or @rlan<="20021106" or @rlad<="20021106" or @rlpn<="20021106") and ((respon$5 or reply$4) with ((time or period or interval) same request$2)) and "370/449".ccls.	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	ADJ	OFF	2007/11/26 16:18
S44	13	(@ad<="20021106" or @pd<="20021106" or @rlan<="20021106" or @rlad<="20021106" or @rlpn<="20021106") and ((respon$5 or reply$4) near4 ("no" or "not") with ((time or period or interval) same request$2)) and "370/449".ccls.	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	ADJ	OFF	2007/11/26 16:25
S45	4	(@ad<="20021106" or @pd<="20021106" or @rlan<="20021106" or @rlad<="20021106" or @rlpn<="20021106") and ((request$5) near4 ("no" or "not") with ((time or period or interval) same poll$2)) and "370/449".ccls.	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	ADJ	OFF	2007/11/26 16:29
S46	115	(@ad<="20021106" or @pd<="20021106" or @rlan<="20021106" or @rlad<="20021106" or @rlpn<="20021106") and (poll$5 with (respon$5 or reply$5) with (time or period of interval)) and "370/449".ccls.	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	ADJ	OFF	2007/11/26 20:27

S47	33	(@ad<="20021106" or @pd<="20021106" or @rlan<="20021106" or @rlad<="20021106" or @rlpn<="20021106") and (poll$5 with (respon$5 or reply$5) with (time or period of interval)) same (second or another) and "370/449".ccls.	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	ADJ	OFF	2007/11/26 20:39
S48	0	(@ad<="20021106" or @pd<="20021106" or @rlan<="20021106" or @rlad<="20021106" or @rlpn<="20021106") and (poll$5 with (respon$5 or reply$5) with (time or period of interval)) same (second or another) same alarm and "370/449".ccls.	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	ADJ	OFF	2007/11/26 20:39
S49	0	(@ad<="20021106" or @pd<="20021106" or @rlan<="20021106" or @rlad<="20021106" or @rlpn<="20021106") and (poll$5 with (respon$5 or reply$5) with (time or period of interval)) same (second or another) same alarm$3 and "370/449".ccls.	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	ADJ	OFF	2007/11/26 20:40
S50	0	(@ad<="20021106" or @pd<="20021106" or @rlan<="20021106" or @rlad<="20021106" or @rlpn<="20021106") and (poll$5 with (respon$5 or reply$5) with (time or period of interval)) same (second or another) same attention and "370/449".ccls.	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	ADJ	OFF	2007/11/26 20:57
S51	19966	(@ad<="20021106" or @pd<="20021106" or @rlan<="20021106" or @rlad<="20021106" or @rlpn<="20021106") and ((ping or request$2 or quer$2) with (time or interval or period)) same (second or twice or another)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	ADJ	OFF	2007/11/26 20:58
S52	3032	(@ad<="20021106" or @pd<="20021106" or @rlan<="20021106" or @rlad<="20021106" or @rlpn<="20021106") and ((ping or request$2 or quer$2) with (time or interval or period)) same (second or twice or another) and "370".clas.	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	ADJ	OFF	2007/11/26 20:59

EAST Search History

S53	1853	(@ad<="20021106" or @pd<="20021106" or @rlan<="20021106" or @rlad<="20021106" or @rlpn<="20021106") and ((ping or request$2 or quer$2) with (time or interval or period)) with(second or twice or another) and "370".clas.	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	ADJ	OFF	2007/11/26 20:59
S54	42	(@ad<="20021106" or @pd<="20021106" or @rlan<="20021106" or @rlad<="20021106" or @rlpn<="20021106") and ((ping or request$2 or quer$2) with (reply$3 or resopon$5) with (time or interval or period)) with(second or twice or another) and "370".clas.	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	ADJ	OFF	2007/11/26 21:19
S55	0	(@ad<="20021106" or @pd<="20021106" or @rlan<="20021106" or @rlad<="20021106" or @rlpn<="20021106") and ((heartbeat request) with (reply$3 or resopon$5) with (time or interval or period)) with(second or twice or another) and "370".clas.	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	ADJ	OFF	2007/11/26 21:19
S56	0	(@ad<="20021106" or @pd<="20021106" or @rlan<="20021106" or @rlad<="20021106" or @rlpn<="20021106") and ((heartbeat request) with (time or interval or period)) with(second or twice or another) and "370".clas.	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	ADJ	OFF	2007/11/26 21:19
S57	13	(@ad<="20021106" or @pd<="20021106" or @rlan<="20021106" or @rlad<="20021106" or @rlpn<="20021106") and ((heartbeat request) with (time or interval or period)) and "370".clas.	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	ADJ	OFF	2007/11/26 21:23
S58	302	(@ad<="20021106" or @pd<="20021106" or @rlan<="20021106" or @rlad<="20021106" or @rlpn<="20021106") and (disconn$5 near3 detect$5) and "370".clas.	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	ADJ	OFF	2007/11/26 21:40

EAST Search History

S59	0	(@ad<="20021106" or @pd<="20021106" or @rlan<="20021106" or @rlad<="20021106" or @rlpn<="20021106") and (disconn$5 near3 detect$5)".ti" and "370".clas.	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	ADJ	OFF	2007/11/26 21:41
S60	0	(@ad<="20021106" or @pd<="20021106" or @rlan<="20021106" or @rlad<="20021106" or @rlpn<="20021106") and (disconn$5 near3 detect$5)".ti." and "370".clas.	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	ADJ	OFF	2007/11/26 21:41
S61	1	(@ad<="20021106" or @pd<="20021106" or @rlan<="20021106" or @rlad<="20021106" or @rlpn<="20021106") and (disconn$5 near3 detect$5).ti. and "370".clas.	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	ADJ	OFF	2007/11/26 21:41
S62	19	(@ad<="20021106" or @pd<="20021106" or @rlan<="20021106" or @rlad<="20021106" or @rlpn<="20021106") and (disconn$5 near3 detect$5).ab. and "370".clas.	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	ADJ	OFF	2007/11/26 22:03
S63	2660	(@ad<="20021106" or @pd<="20021106" or @rlan<="20021106" or @rlad<="20021106" or @rlpn<="20021106") and (second or another) near2 (query or ping or request) and "370".clas.	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	ADJ	OFF	2007/11/26 22:04
S64	124	(@ad<="20021106" or @pd<="20021106" or @rlan<="20021106" or @rlad<="20021106" or @rlpn<="20021106") and (respon$5 or reply$4) with (time or interval or period) with (second or another) near2 (query or ping or request) and "370".clas.	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	ADJ	OFF	2007/11/27 10:26